

जन्तेढुङ्गा गाउँपालिका गाउँ कार्यपालिकाको कार्यालय

चिसापानी, खोटाङ कोशी प्रदेश, नेपाल

क्याटलग सिपङ्ग विधिवाट व्याक हो लोडर खरिद सम्बन्धी सूचना

प्रथम पटक प्रकाशित मितिः २०७९/१२/०६

यस गाउँपालिकालाई आवश्यक तपिसल अनुसारको व्याक हो लोडर सार्वजनिक खरिद ऐन र नियमावलीमा व्यवस्था भए बमोजिम उत्पादक कम्पनी वा सो को आधिकारिक विकेताहरू बीच मात्र प्रतिस्पर्धा गराउने (क्याटलंग सिपड़ विधिबाट खरिद गर्नुपर्ने भएकाले ईच्छुक इजाजत प्राप्त उत्पादक कम्पनी वा आधिकारिक विकेताहरूलाई तोकिए बमोजिमका कागजातहरू सिहत तपिसल बमोजिमको व्याक हो लोडरको आधिकारिक स्पेसिफिकेशन, गुणस्तर, मूल्य र सुविधा सिहतको विवरण (क्याटलंग वा ब्रोसर) संलग्न राखी यो सूचना प्रकाशित भएको मितिले द औं दिन १२:०० बजे सम्म यस कार्यालयमा रितपूर्वक सिलवन्दी निवेदन दर्ता गराउन आव्हान गरिएको छ । यस सम्बन्धी विस्तृत सूचना यस कार्यालयको सूचना पाटी तथा www.jantedhungamun.gov.np मा समेत हेर्न सिकेनेछ ।

तपसिल

क्र.स.	ठेका नं.	सवारी	सक्षिप्त विवरण	परिमाण	कैफियत
		साधनको विवरण			
٩	JRM//CAT/ 09/2069/050	व्याक हो लोडर	व्याक हो लोडर	१(एक)	सक्षिप्त विवरण उल्लेख नभएका कुराहरू स्वीकृत प्राविधिक स्पेसिफिकेसन बमोजिम
					हुने छ ।

प्रमुख प्रशासेकीय अधिकृत



प.सं.: २०७९/०८० च.नं.:

"मेरो सपनाको जन्तेढुङ्गा" **ल्तेढुङ्गा गाउँपालिका** కొల్డాన్లోం వేళ్యాస్

गाउँ कार्यपालिकाको कार्यालय उँ॰ टैंशेट्ट के टैंशेटिंग ♦ https://jantedhungamun.gov.np
 □ info@jantedhungamun.gov.np
 □ jantedhungarmo@gmail.com

चिसापानी, खोटाङ जीकिटिटी क्षेत्री. कोशी प्रदेश

क्याटलग सपिङ्ग विधिवाट व्याक हो लोडर खरिद सम्बन्धी स्चना

प्रथम पटक प्रकाशित मितिः २०७९/१२/०६

यस कार्यालयको आ.व. २०७९।०८० को स्वीकृत बार्षिक कार्यक्रम अनुसार देहाय बमोजिमको व्याक हो लोडर सार्वजिनक खिरद ऐन, २०६३ (पिहलो संशोधन २०७३ को दफा द को उपदफा १ (क) तथा सार्वजिनक खिरद नियमावली, २०६४ (चौथो संशोधन) को नियम ३९(ख) बमोजिम त्यस्तो व्याक हो लोडर उत्पादक कम्पनी वा सो को नेपालका लागी आधिकारिक बिकेताहरू बीच मात्र प्रतिस्पर्धा गराउने (क्याटलग सिप्ड) विधिबाट खिरद गर्नुपर्ने भएकोले सार्वजिनक खिरद नियमावली, २०६४ को नियम ३९(ख) को उपनियम २ अनुसार तपिसल बमोजिमको व्याक हो लोडर उत्पादकको आधिकारिक स्पेशिफिकेशन, गुणस्तर, मूल्य र सुविधा सिहतको कागजात वा विवरणहरू (क्याटलग वा ब्रोसर) संलग्न राखी तपिसलमा उल्लेख भए बमोजिमको प्रस्ताव दर्ता गराउनु हुन सम्बन्धित उत्पादक वा आधिकारिक विकेताको जानकारीको लागि यो सूचना प्रकाशित गरिएको छ ।

तपशिल

- 9) यस कार्यालयबाट स्वीकृत व्याक हो लोडरको विस्तृत प्राविधिक स्पेशिफिकेशन यस कार्यालयबाट निःशुल्क प्राप्त गर्न सिकने छ।
- २) उक्त कागजात लिनका लागी ईच्छुक व्याक हो लोडर उत्पादक कम्पनी वा सो को नेपालका लागि आधिकारिक बिकेताले उक्त व्याक हो लोडरको बिकी गर्न नेपाल सरकारको सम्बन्धित निकायबाट प्राप्त भएको अनुमित पत्र, सो को अद्यावधिक नवीकरण भएको पत्र, स्थायी लेखा नम्बर (PAN) तथा मूल्य अभिवृद्धि कर (VAT) दर्ता प्रमाणपत्र, आ. व. २०७८/०७९ सम्मको कर चुक्ता गरेको प्रमाणित कागजात, उक्त व्याक हो लोडर सप्लाई गरेको हालसम्मको विस्तृत विवरण, सम्बन्धित कार्य अनुभवको प्रमाणपत्र सिहतका कागजात सिहत यो सूचना प्रकाशित भएको मितिले द औं दिन १२:०० बजेसम्म यस कार्यालयमा उपस्थित हुनुपर्नेछ ।
- ३) यो सूचना प्रकाशित भएको मितिले ८ औं दिन १२:०० बजेसम्म यस कार्यालयमा छुटाछुट्टै सिलबन्दी प्रस्ताव दर्ता गराउन सिकने छ तथा दर्ता गरिएका सिलबन्दी प्रस्तावहरु सोही दिन १६:०० बजे खोलिनेछ ।
- ४) साथै सूचिकृत नभएका उत्पादक वा आधिकारिक बिकेता कम्पनीहरुले सूचिकृत गराई उक्त सिलबन्दी प्रस्ताव पेश गर्न सिकन ब्यहोरा समेत जानकारी गराइन्छ ।
- ५) पेश गर्ने अन्तिम दिन सार्वजनिक विदा परेमा विदा पछिको कार्यालय खुलेको दिन पेश गर्न सिकने छ ।

क्र.स.	ठेका नं.	सवारी साधनको विवरण	सक्षिप्त विवरण	परिमाण	कैफियत
٩	JRM//CAT/ 09/२०७९/०८०	व्याक हो लोडर	व्याक हो लोडर	१(एक)	सक्षिप्त विवरण उल्लेख नभएका कुराहरु स्वीकृत प्रविधिक स्पेसिफिकेसन बमोजिम हुने छ ।

प्रमुख प्रशासकीय अधिकृत

"कृषि, पर्यटन र पुर्वाधार, जन्तेढुङ्गा गाउँपालिकाको समृद्धि र विकासको मुल आधार" फोनः ०३६-४२१०१३/४२१०१४/४२१०१७/४२१०१८

Technical Specification of Heavy Equipment

Item: Backhoe Loader

(Quantity: 1 unit)

S.No	CRITERIA	DEPARTMENTAL REQUIREMENT	OFFERED SPECIFICATION	REMARKS
1.	General	All wheel drive, rigid frame back hoe loader with Steel cab, suitable for operation under rough working conditions, and adverse climate condition at operating altitude of 2000 m and ambient temperature varying between -5°C to 50°C.	Make: Model: Country of origin:	
2.	Capacity	1. Operating weight not less than 8000 kg 2. Loader: General purpose bucket with (6 in1) bolt on teeth of SAE rated capacity nominally heaped approx. 1 cu.m with shovel break out force not less than 6600 kgf. • Dump Height: ≥ 2700 mm • Load over height: ≥ 3300 mm • Pin Height : ≥ 3500 mm 3. Back hoe bucket with bolt on teeth of SAE rated capacity approx. 0.3 cu.m with tear out force 5500 kgf and following working ranges: • Maximum working height: ≥ 5400 mm • Maximum digging depth: ≥ 4300 mm • Maximum digging reach: ≥ 5800 mm (Ground Level to rear wheel center)		
		• Maximum Lifting capacity: ≥1480 kg Out triggers with controls from cabin shall be provided.		
3.	Engine	Water-cooled diesel engine, developing SAE rated gross horsepower not less than 90 HP with minimum 400 NM torque and displacement of 4.4 litres (engine fully equipped with accessories) at		

Mechanical E. gineer

•		governed RPM for efficient full load operation. Backhoe shall be equipped with heavy duty radiator, cold starting device, direct electric starting system, heavy duty battery, heavy duty air cleaner, heavy duty fuel filter, with water trap and drainage in fuel line and drain tap in fuel tank.	
4.	Gauges	To include ammeter, water temperature, fuel, oil pressure, transmission and hydraulic gauges as necessary for efficient operation and maintenance.	
5.	Cab	All steel enclosed cab with laminated glass windscreen insulated roof, suitably located controls for back hoe and loader operation, rear view mirror, cabin light, wiper and adjustable cushioned seat for operator shall be provided.	
6.	Tyres	Suitable four tyres with tubes for operating machine in rough road conditions shall be provided.	
7.	Hydraulics	Suitable hydraulic pumps flow not less than 117 LPM and system pressure not less than 225 bar for smooth operation of all the attachments.	
8.	Transmission	Torque converter with at least four speed power shift type of synchro shuttle transmission.	
9.	Steering	Power assisted hydrostatic steering.	
10.	Brakes	Hydraulically actuated, wet multiple disc/caliper disc type service brake and separate parking brake.	
11.	Axles	Four wheel drive with fixed rear axle and at least 15° oscillating front axles.	
12.	Essential Accessories	1.Service hour meter 2.Work lights, road lights and fog lights 3. Cabin lights.	
13.	Instructions	All signs and instructions in the equipment shall be in English.	
14.	Manuals	One copy of the Owner's and Operator's Instructions and Maintenance manual including Spare parts catalogue and Comprehensive workshop manual in English shall be supplied with each equipment.	
15.	Tools	A set of tools as required for general maintenance shall be supplied with in a lockable tool box for each unit.	
16.	Color	Standard	

Mechanical Engineer

17.	Proven performance	The machine offered shall be a current model under standard production by the manufacturer for at least one year. The bidder should have supplied the	
		equipment to the government sector before. 3. The bidder shall provide the manufacturer's data of the performance of the unit to include the fuel consumption, performance curve of the engine and machine's production capacity.	
18.	Warranty	Manufacturer shall provide a minimum of one year warranty after acceptance.	
19.	Delivery	Supplier should deliver 1 Unit of Backhoe Loader at Jantedhunga Rural Municipality, Chisapani, Khotang	*

Note:

1. The major items are indicated by bold and highlighted letters/alphabets/figures in the technical specification. Non-Compliance of these major items will result in non-responsiveness of the bid offer.

Estimated cost including VAT per unit (in NRs.) = Rs. 53,50,000

Prepared By